



## CODE QUIZ

May 2026

1. Per the California Energy Commission, the previously named HERS Raters are now referred to as:
  - a. ESS-Raters
  - b. CEnC-Raters
  - c. ECC-Raters
  - d. ACE-Raters
  
2. Per the 2025 California Electrical Code Section 210.52(C)(2), how many receptacle outlets are required to serve an island or peninsular countertop or work surface?
  - a. 0
  - b. 1
  - c. 1 for the first 9 square feet of counter space and 1 for each 18 square feet or part thereof
  - d. 1 per 4-foot of counter space.
  
3. Per 2025 California Building Code Section 11B-404.2.8.2, door closers shall be adjusted so that from the open position of 70 degrees, the door or gate shall move to the closed position in \_\_\_\_\_ minimum.
  - a. 1.5 seconds
  - b. 2.0 seconds
  - c. 2.5 seconds
  
4. Per 2025 California Residential Code Section R314.3, the aggregate area of a mezzanine or mezzanines shall be not greater than \_\_\_\_\_ of the floor area of the room or space in which they are located. The enclosed portion of a room shall not be included in a determination of the floor area of the room in which the mezzanine is located.
  - a. one-half
  - b. one-third
  - c. one-fourth
  - d. the total area
  
5. Per 2025 California Green Building Standards Code 4.410.2; where \_\_\_\_\_ or more multi-family dwelling units are constructed on a building site, provide readily accessible area(s) that serves all buildings on the site and are identified for the depositing, storage and collection of nonhazardous materials for recycling, including (at a minimum) paper, corrugated cardboard, glass, plastics, organic waste and materials, or meet a lawfully enacted local recycling ordinance, if more restrictive.
  - a. 2
  - b. 7
  - c. 10
  - d. 5